

HIGH PRESSURE WASHER

WHERE POWER MEETS PERFORMANCE

ATS ELGI[®]

THINK LONG RUN



POWER
PERFORMANCE
PRECISION



PROVIDING WASHING SOLUTION SINCE 1960'S

POWER WASH

HIGH PRESSURE WASHER-14/12C



LESS WATER CONSUMPTION



HIGH PRESSURE ENSURE DIRT CLEAN



LOW MODE FOR ENGINE AREA CLEANING



DESIGNED FOR CONTINUOUS RUNNING



TRIGGER CONTROLLED PUMP



POWER WASH - HIGH PRESSURE WASHER-14/12C

ATS ELGI is introducing a new high-pressure washer that delivers an efficient and effective solution for vehicle cleaning. Engineered to provide high-pressure washing while minimizing water consumption, this system ensures optimal performance with environmental consideration. It also comes equipped with a variable-angle nozzle for enhanced cleaning effectiveness. The cage model (14/12C) offers versatile installation options, allowing for either wall mounting or floor placement.

ADVANTAGES

- Motor with aluminium casing
- Direct driven pump
- Auto cut-off trigger mechanism
- High pressure & low pressure mode available
- In-built pressure gauge
- Easy mounting on wall & floor
- Jet & Spray pattern available

SCOPE OF SUPPLY



Trigger Gun



High Pressure Hose 12m

OPTIONAL ACCESSORIES



Trigger Gun with Quick Connect Nozzles



Foam Bottle

TECHNICAL SPECIFICATION

Parameters	Units	Data
Pump Type	-	Triple Plunger - Direct Driven
Max. Operating Pressure	Bar	120
Max. Flow Rate	lpm	14
Power Supply	-	3 ph, 415 V, 50 Hz
Motor Power	Kw	3
Motor Speed	rpm	1450
Length Of Output Hose	m	12
Type Of Gun	-	Trigger Gun with 4 mode operation
Nozzle Type	-	Variable angle nozzle with High / Low Pressure Modes
Trigger Gun Auto-Cut Off	-	Provided
On/Off Switch	-	Provided
Mounting Type	-	Floor & Wall
Overall Dimensions (LxWxH)	mm	860x545x490
Approximate Weight	kg	59

TORNADO

HIGH PRESSURE WASHER-T22



LESS WATER
CONSUMPTION



HIGH PRESSURE
ENSURE DIRT CLEAN



TROLLEY MODEL
FOR EASY MANEUVERABILITY



4 VARIABLE
ANGLE NOZZLES



DESIGNED FOR
CONTINUOUS RUNNING



TORNADO - HIGH PRESSURE WASHER-T22

Designed to meet the rigorous demands of mining and construction environments, ATS ELGI is introducing new high-pressure washers that deliver powerful and reliable cleaning performance. Built to withstand harsh conditions, these systems efficiently remove heavy dirt, mud, grease, and other stubborn contaminants from vehicles and parts. They come with adjustable angle nozzles, allowing suitability for various applications, and feature a portable design for enhanced convenience.

ADVANTAGES

- Motor with aluminium casing
- Direct driven pump
- 10" Wheels for easy maneuverability
- Trigger gun with safety lock
- Supplied with quick-connect 1 liter foam bottle
- Lance gun with quick-connect variable angle nozzle
- Power cable 5m provided

SCOPE OF SUPPLY



Trigger Gun with Lance



High Pressure
Hose 12m



Foam Bottle

TECHNICAL SPECIFICATION

Parameters	Units	Data
Pump Type	-	Triple Plunger - Direct Driven
Max. Operating Pressure	Bar	220
Max. Flow Rate	lpm	22
Power Supply	-	3 ph, 415 V, 50 Hz
Motor Power	Kw	7.5
Motor Speed	rpm	1450
Length Of Output Hose	m	12
Type Of Gun	-	Trigger Gun with Lance
Nozzle Type	-	Quick Connect Nozzles 0°, 15°, 25° & 40°
On/Off Switch	-	Provided
Mounting Type	-	Trolley
Overall Dimensions (LxWxH)	mm	860x540x640
Approximate Weight	kg	95



ATS ELGI

Private Industrial Estate, Kurichy,
Coimbatore - 641021, Tamil Nadu, India.
Visit us at : www.ats-elgi.com | Email : enquiry@ats-elgi.com

Toll Free Number : **1800-203-3544**

Follow us on : [in](#) [f](#) [@](#) [v](#) [x](#)

ATS ELGI